

Kyoto Encyclopedia of Genes and Genomes derived Suggestions

Review Overview

These suggestions are based on an Expert System (Artificial Intelligence) modelled after the MYCIN Expert System produced at Stanford University School of Medicine in 1972. The system uses almost 2 million facts with backward chaining to sources of information. The typical sources are studies published on the US National Library of Medicine. Note: That many of the bacteria species used are *NOT* reported on many tests.

These are suggestions that are predicted to independently Decreasing Hydrogen | H2 H2 by impacting the bacteria listed on [KEGG: Kyoto Encyclopedia of Genes and Genomes](#). Suggestions should *only be done after a review* by a medical professional factoring in patient's conditions, allergies and other issues.

This report may be freely shared by a patient to their medical professionals

This is an experimental feature – manual validations is recommended. For background, see this [post](#)

There is a separate report for probiotics. That report use the enzymes in probiotic species.

Analysis Provided by Microbiome Prescription

A Microbiome Analysis Company

892 Lake Samish Rd, Bellingham WA 98229
Email: Research@MicrobiomePrescription.com

[Our Facebook Discussion Page](#)

Bacteria being targeted by suggestions.

These bacteria levels were deemed atypical

Bacteria Name	Rank	Shift	Taxonomy ID	Bacteria Name	Rank	Shift	Taxonomy ID
Persephonella marina	species		309805	Legionella israelensis	species		454
Sulfurihydrogenibium azorense	species		309806	Legionella jordanis	species		456
Desulforapulum autotrophicum	species		2296	Desulfovibrio piger	species		901
Streptomyces nodosus	species		40318	Hydrogenobacter thermophilus	species		940
Desulfurobacterium thermolithotrophum	species		64160	Allochromatium vinosum	species		1049
Desulfocapsa sulfexigens	species		65555	Prosthecochloris aestuarii	species		1102
Streptomyces globosus	species		68209	Mycobacterium kansasii	species		1768
Thioalkalivibrio paradoxus	species		108010	Mycolicibacterium smegmatis	species		1772
Caldilinea aerophila	species		133453	Mycobacterium gordonae	species		1778
Thermovibrio ammonificans	species		228745	Mycobacterium marinum	species		1781
Desulfovibrio ferrophilus	species		241368	Mycolicibacterium thermoresistibile	species		1797
Adlercreutzia equolifaciens	species		446660	Mycolicibacterium aichiense	species		1799
Gordonibacter pamelaee	species		471189	Mycolicibacterium chubuense	species		1800
Thiohalobacter thiocyanaticus	species		585455	Mycolicibacterium diemhoferi	species		1801
Neptunomonas concharum	species		1031538	Streptomyces reticuli	species		1926
Magnetospira sp. QH-2	species		1288970	Streptomyces rimosus	species		1927
Salinivirga cyanobacteriivorans	species		1307839	Streptomyces scabiei	species		1930
Labilithrix luteola	species		1391654	Streptosporangium roseum	species		2001
Desulfocurvibacter africanus subsp. africanus	subspecies		1511600	Thermobispora bispora	species		2006
Limnochorda pilosa	species		1555112	Desulfomonile tiedjei	species		2358
Sulfurifustis variabilis	species		1675686	Legionella cherrii	species		28084
Candidatus Velamenicoccus archaeovorus	species		1930593	Legionella sainthelensi	species		28087
Thiocapsa sp.	species		2024551	Thermodesulfovibrio yellowstonii	species		28262
Streptomyces tirandamycinicus	species		2174846	Legionella oakridgensis	species		29423
Labrenzia sp. PHM005	species		2590016	Rhodothermus marinus	species		29549
Dictyoglomus thermophilum	species		14	Halothermothrix orenii	species		31909
Legionella pneumophila	species		446	Streptomyces laurentii	species		39478
Legionella longbeachae	species		450	Mycolicibacterium duvalii	species		39688
Legionella micdadei	species		451	Mycobacterium branderi	species		43348
Legionella spiritensis	species		452	Kutzneria albida	species		43357

Substance to Consider Adding or Taking

These are the most significant substances that are likely to improve the microbiome dysfunction. Dosages are based on the dosages used in clinical studies. For more information see: <https://microbiomeprescription.com/library/dosages>. These are provided as examples only

Colors indicates the type of substance: i.e. probiotics and prebiotics, herbs and spices, etc. There is no further meaning to them.

The recommended process to obtain a *persistent shift* of the microbiome is:

- Generate 4 lists from the suggestions with nothing repeated on another list

- Emphasize one list each week

- After 8 weeks (2 cycles), retest the microbiome to obtains the next set of *course corrections*

This approach allows the microbiome to stablize towards normal.

Pick only as many suggestions that suits you; there is no need to do all of them. Suggestions are based on your specific bacteria and not marketing concepts such as 'healthy choices'.

iron 400 mg/day

Prescript Assist (2018 Formula)

Slippery Elm

vegetarians

Vitamin B9,folic acid 5 mg/day

Substance to Consider Reducing or Eliminating

These are the most significant substances have been identified as probably contributing to the microbiome dysfunction.

In some cases blood work may show low levels of some vitamins, etc. listed below. This may be due to *greedy* bacteria reported at a high level above. Viewing bacteria data on the Kyoto Encyclopedia of Genes and Genomes (<https://www.kegg.jp/>) may provide better insight on the course of action to take.

Cacao	<i>lactobacillus casei</i> (probiotics)
chitosan,(sugar)	<i>lactobacillus paracasei</i> (probiotics)
cinnamon (oil. spice)	<i>micromeria fruticosa</i> , White-leaved Savory
coriander oil	peppermint (spice, oil)
Curcumin	<i>rosmarinus officinalis</i> , rosemary
foeniculum vulgare,fennel	<i>syzygium aromaticum</i> (clove)
Human milk oligosaccharides (prebiotic, Holigos, Stachyose)	thyme (thymol, thyme oil)

Sample of Literature Used

The following are some of the studies used to generate these suggestions.

Screening competition and cross-feeding interactions during utilization of human milk oligosaccharides by gut microbes.

Microbiome research reports , Volume: 3 Issue: 1 2024

Authors Díaz R,Garrido D

Spices as Sustainable Food Preservatives: A Comprehensive Review of Their Antimicrobial Potential.

Pharmaceuticals (Basel, Switzerland) , Volume: 16 Issue: 10 2023 Oct 12

Authors Sulieman AME,Abdallah EM,Alanazi NA,Ed-Dra A,Jamal A,Idriss H,Alshammari AS,Shommo SAM

Functional proteins in breast milk and their correlation with the development of the infant gut microbiota: a study of mother-infant pairs.

Frontiers in microbiology , Volume: 14 2023

Authors Xi M,Liang D,Yan Y,Duan S,Leng H,Yang H,Shi X,Na X,Yang Y,Yang C,Szeto IM,Zhao A

Preparation and characterization of curcumin/chitosan conjugate as an efficient photodynamic antibacterial agent.

Carbohydrate polymers , Volume: 313 2023 Aug 1

Authors Zhao L,Ding X,Khan IM,Yue L,Zhang Y,Wang Z

Curcumin β -D-Glucuronide Modulates an Autoimmune Model of Multiple Sclerosis with Altered Gut Microbiota in the Ileum and Feces.

Frontiers in cellular and infection microbiology , Volume: 11 2021

Authors Khadka S,Omura S,Sato F,Nishio K,Takeya H,Tsunoda I

Selective Utilization of the Human Milk Oligosaccharides 2'-Fucosyllactose, 3-Fucosyllactose, and Difucosyllactose by Various Probiotic and Pathogenic Bacteria.

Journal of agricultural and food chemistry , Volume: 69 Issue: 1 2021 Jan 13

Authors Salli K,Hirvonen J,Siitonen J,Ahonen I,Angenius H,Maukonen J

Cocoa Polyphenols and Gut Microbiota Interplay: Bioavailability, Prebiotic Effect, and Impact on Human Health.

Nutrients , Volume: 12 Issue: 7 2020 Jun 27

Authors Sorrenti V,Ali S,Mancin L,Davinelli S,Paoli A,Scapagnini G

Thyroid-Gut-Axis: How Does the Microbiota Influence Thyroid Function?

Nutrients , Volume: 12 Issue: 6 2020 Jun 12

Authors Knezevic J,Starchl C,Tmava Berisha A,Amrein K

Antioxidant, Anti-Inflammatory, and Microbial-Modulating Activities of Essential Oils: Implications in Colonic Pathophysiology.

International journal of molecular sciences , Volume: 21 Issue: 11 2020 Jun 10

Authors Spisni E,Petrocelli G,Imbesi V,Spigarelli R,Azzinnari D,Donati Sarti M,Campieri M,Valerii MC

The Protective Effects of 2'-Fucosyllactose against E. Coli O157 Infection Are Mediated by the Regulation of Gut Microbiota and the Inhibition of Pathogen Adhesion.

Nutrients , Volume: 12 Issue: 5 2020 May 1

Authors Wang Y,Zou Y,Wang J,Ma H,Zhang B,Wang S

Lactobacillus paracasei subsp. *paracasei* NTU 101 lyophilized powder improves loperamide-induced constipation in rats.

Heliyon , Volume: 6 Issue: 4 2020 Apr

Authors Chen CL,Chao SH,Pan TM

Cultivation of the Next-Generation Probiotic Akkermansia muciniphila, Methods of Its Safe Delivery to the Intestine, and Factors Contributing to Its Growth In Vivo.

Current microbiology , Volume: 77 Issue: 8 2020 Aug

Authors Ropot AV,Karamzin AM,Sergeyev OV

Dietary prophage inducers and antimicrobials: toward landscaping the human gut microbiome.

Gut microbes , 2020 Jan 13

Authors Boling L,Cuevas DA,Grasis JA,Kang HS,Knowles B,Levi K,Maughan H,McNair K,Rojas MI,Sanchez SE,Smurthwaite C,Rohwer F

Immunomodulatory and Prebiotic Effects of 2'-Fucosyllactose in Suckling Rats.

Frontiers in immunology , Volume: 10 2019

Authors Azagra-Boronat I,Massot-Cladera M,Mayneris-Perxachs J,Knipping K,Van't Land B,Tims S,Stahl B,Garsen J,Franch À,Castell M,Rodríguez-Lagunas MJ,Pérez-Cano FJ

Antimicrobial activity of spices essential oils and its effectiveness on mature biofilms of human pathogens.

Natural product research , 2018 Oct 13

Authors Condò C,Anacorso I,Sabia C,Iseppi R,Anfelli I,Forti L,de Niederhäusern S,Bondi M,Messi P

Prebiotic Potential of Herbal Medicines Used in Digestive Health and Disease.**Journal of alternative and complementary medicine (New York, N.Y.)** , Volume: 24 Issue: 7 2018 Jul

Authors Peterson CT, Sharma V, Uchitel S, Denniston K, Chopra D, Mills PJ, Peterson SN

Extensive impact of non-antibiotic drugs on human gut bacteria.**Nature** , Volume: 555 Issue: 7698 2018 Mar 29

Authors Maier L, Pruteanu M, Kuhn M, Zeller G, Telzerow A, Anderson EE, Brochado AR, Fernandez KC, Dose H, Mori H, Patil KR, Bork P, Typas A

Enhancing syntrophic associations among Clostridium butyricum, Syntrophomonas and two types of methanogen by zero valent iron in an anaerobic assay with a high organic loading.**Bioresource technology** , Volume: 257 2018 Jun

Authors Kong X, Yu S, Fang W, Liu J, Li H

Prebiotics Mediate Microbial Interactions in a Consortium of the Infant Gut Microbiome.**International journal of molecular sciences** , Volume: 18 Issue: 10 2017 Oct 4

Authors Medina DA, Pinto F, Ovalle A, Thomson P, Garrido D

Monitoring *in vitro* antibacterial efficacy of 26 Indian spices against multidrug resistant urinary tract infecting bacteria.**Integrative medicine research** , Volume: 3 Issue: 3 2014 Sep

Authors Rath S, Padhy RN

The effects of micronutrient deficiencies on bacterial species from the human gut microbiota.**Science translational medicine** , Volume: 9 Issue: 390 2017 May 17

Authors Hibberd MC, Wu M, Rodionov DA, Li X, Cheng J, Griffin NW, Barratt MJ, Giannone RJ, Hettich RL, Osterman AL, Gordon JI

Effects of long-term Bacillus subtilis CGMCC 1.921 supplementation on performance, egg quality, and fecal and cecal microbiota of laying hens.**Poultry science** , Volume: 96 Issue: 5 2017 May 1

Authors Guo JR, Dong XF, Liu S, Tong JM

The Human Milk Oligosaccharide 2'-Fucosyllactose Quenches Campylobacter jejuni-Induced Inflammation in Human Epithelial Cells HEP-2 and HT-29 and in Mouse Intestinal Mucosa.**The Journal of nutrition** , Volume: 146 Issue: 10 2016 Oct

Authors Yu ZT, Nanthakumar NN, Newburg DS

Microbial Community of Healthy Thai Vegetarians and Non-Vegetarians, Their Core Gut Microbiota, and Pathogen Risk.**Journal of microbiology and biotechnology** , Volume: 26 Issue: 10 2016 Oct 28

Authors Ruengsomwong S, La-Ongkham O, Jiang J, Wannissorn B, Nakayama J, Nitisinprasert S

In vitro antimicrobial activity of five essential oils on multidrug resistant Gram-negative clinical isolates.**Journal of intercultural ethnopharmacology** , Volume: 5 Issue: 3 2016 Jun-Aug

Authors Sakkas H, Gousia P, Economou V, Sakkas V, Petsios S, Papadopoulou C

Dietary supplementation of Rosmarinus officinalis L. leaves in sheep affects the abundance of rumen methanogens and other microbial populations.**Journal of animal science and biotechnology** , Volume: 7 2016

Authors Cobellis G, Yu Z, Forte C, Acuti G, Tralbalza-Marinucci M

Gas chromatography coupled with mass spectrometric characterization of Curcuma longa: Protection against pathogenic microbes and lipid peroxidation in rat's tissue homogenate.**Pakistan journal of pharmaceutical sciences** , Volume: 29 Issue: 2 2016 Mar

Authors Hassan W, Gul S, Rehman S, Kanwal F, Afridi MS, Fazal H, Shah Z, Rahman A, da Rocha JB

Oral versus intravenous iron replacement therapy distinctly alters the gut microbiota and metabolome in patients with IBD.**Gut** , Volume: 66 Issue: 5 2017 May

Authors Lee T, Clavel T, Smirnov K, Schmidt A, Lagkourdos I, Walker A, Lucio M, Michalke B, Schmitt-Kopplin P, Fedorak R, Haller D

Antibacterial activity of cinnamaldehyde and clove oil: effect on selected foodborne pathogens in model food systems and watermelon juice.**Journal of food science and technology** , Volume: 52 Issue: 9 2015 Sep

Authors Siddiqua S, Anusha BA, Ashwini LS, Negi PS

In vitro and in vivo examination of anticolonization of pathogens by Lactobacillus paracasei FJ861111.1**Journal of dairy science** , Volume: 98 Issue: 10 2015 Oct

Authors Deng K, Chen T, Wu Q, Xin H, Wei Q, Hu P, Wang X, Wang X, Wei H, Shah NP

Antimicrobial Impacts of Essential Oils on Food Borne-Pathogens.**Recent patents on food, nutrition & agriculture** , Volume: 7 Issue: 1 2015

Authors Ozogul Y, Kuley E, Ucar Y, Ozogul F

Antimicrobial activity and chemical composition of the essential oils of Portuguese Foeniculum vulgare fruits.

Natural product communications , Volume: 10 Issue: 4 2015 Apr

Authors Mota AS,Martins MR,Arantes S,Lopes VR,Bettencourt E,Pombal S,Gomes AC,Silva LA

Empirical prediction and validation of antibacterial inhibitory effects of various plant essential oils on common pathogenic bacteria.

International journal of food microbiology , Volume: 202 2015 Jun 2

Authors Akdemir Evrendilek G

Evaluation of antibacterial activity of crude protein extracts from seeds of six different medical plants against standard bacterial strains.

Saudi journal of biological sciences , Volume: 21 Issue: 2 2014 Apr

Authors Al Akeel R,Al-Sheikh Y,Mateen A,Syed R,Janardhan K,Gupta VC

Lactobacillus paracasei subsp. paracasei LC01 positively modulates intestinal microflora in healthy young adults.

Journal of microbiology (Seoul, Korea) , Volume: 51 Issue: 6 2013 Dec

Authors Zhang H,Sun J,Liu X,Hong C,Zhu Y,Liu A,Li S,Guo H,Ren F

Association of dietary type with fecal microbiota in vegetarians and omnivores in Slovenia.

European journal of nutrition , Volume: 53 Issue: 4 2014 Jun

Authors Matijašič BB,Obermajer T,Lipoglavšek L,Grabnar I,Avguštin G,Rogelj I

Probiotic features of two oral Lactobacillus isolates.

Brazilian journal of microbiology : [publication of the Brazilian Society for Microbiology] , Volume: 43 Issue: 1 2012 Jan

Authors Zavisic G,Petricevic S,Radulovic Z,Begovic J,Golic N,Topisirovic L,Strahinic I

Utilization of major fucosylated and sialylated human milk oligosaccharides by isolated human gut microbes.

Glycobiology , Volume: 23 Issue: 11 2013 Nov

Authors Yu ZT,Chen C,Newburg DS

In-vitro antimicrobial activity and synergistic/antagonistic effect of interactions between antibiotics and some spice essential oils.

Journal of environmental biology , Volume: 32 Issue: 1 2011 Jan

Authors Toroglu S

A vegan or vegetarian diet substantially alters the human colonic faecal microbiota.

European journal of clinical nutrition , Volume: 66 Issue: 1 2012 Jan

Authors Zimmer J,Lange B,Frick JS,Sauer H,Zimmermann K,Schwiertz A,Rusch K,Klosterhalfen S,Enck P

Biodegradable gelatin-chitosan films incorporated with essential oils as antimicrobial agents for fish preservation.

Food microbiology , Volume: 27 Issue: 7 2010 Oct

Authors Gómez-Estaca J,López de Lacey A,López-Caballero ME,Gómez-Guillén MC,Montero P

Consumption of human milk oligosaccharides by gut-related microbes.

Journal of agricultural and food chemistry , Volume: 58 Issue: 9 2010 May 12

Authors Marcobal A,Barboza M,Froehlich JW,Block DE,German JB,Lebrilla CB,Mills DA

In vitro antimicrobial activity and chemical composition of the essential oil of Foeniculum vulgare Mill.

Revista medico-chirurgicala a Societatii de Medici si Naturalisti din Iasi , Volume: 112 Issue: 3 2008 Jul-Sep

Authors Aprotosoia AC,Hancianu M,Poata A,Tuchilus C,Spac A,Cioana O,Gille E,Stanescu U

Characterization and antimicrobial spectrum of bacteriocins produced by lactic acid bacteria isolated from traditional Bulgarian dairy products.

Journal of applied microbiology , Volume: 106 Issue: 2 2009 Feb

Authors Simova ED,Beshkova DB,Dimitrov ZhP

Vapor-phase activities of cinnamon, thyme, and oregano essential oils and key constituents against foodborne microorganisms.

Journal of agricultural and food chemistry , Volume: 55 Issue: 11 2007 May 30

Authors López P,Sánchez C,Batlle R,Nerín C

Antimicrobial and antiplasmid activities of essential oils.

Fitoterapia , Volume: 77 Issue: 4 2006 Jun

Authors Schelz Z,Molnar J,Hohmann J

In vitro antimicrobial activity of essential oils from aromatic plants against selected foodborne pathogens.

Journal of food protection , Volume: 67 Issue: 6 2004 Jun

Authors Rota C,Carramiñana JJ,Burillo J,Herrera A

Probiotic activities of Lactobacillus casei rhamnosus: in vitro adherence to intestinal cells and antimicrobial properties.

Research in microbiology , Volume: 152 Issue: 2 2001 Mar

Authors Forestier C,De Champs C,Vatoux C,Joly B

Antimicrobial compounds from Lactobacillus casei and Lactobacillus helveticus.

The new microbiologica , Volume: 16 Issue: 2 1993 Apr

Authors Vescovo M,Scolari GL,Caravaggi L,Bottazzi V

Curcumin consumption reduces gut microbial diversity among patients with colorectal adenomas

The FASEB Journal , Volume: 26 Issue: 1 2012 Apr 1

Authors April McLauchlin,Felix Araujo-Perez,Nikki McCoy,Kevin Smith,Bob Sandler,Gary Asher,Temitope Keku

Curated database of commensal, symbiotic and pathogenic microbiota

Generative Bioinformatics , Volume: Issue: 2014 Jun

Authors D'Adamo Peter